




CERTIFICATO DI OMOLOGAZIONE DI TIPO
N. ELE143014CS

Si certifica che il seguente prodotto soddisfa alle prescrizioni delle norme RINA per l'omologazione di tipo.


<i>Descrizione</i>	CAVI ELETTRICI
<i>Tipo</i>	NO7G9-K
<i>Richiedente</i>	I.C.E.L. S.C.P.A. Via Torricelli 4/6 48022 Lugo (RA) ITALY
<i>Fabbricante</i>	I.C.E.L. S.C.P.A.
<i>Luogo di produzione</i>	Corso America 31/A 24040 Zingonia (BG) ITALY
<i>Norme di riferimento</i>	CEI

Rilasciato a **Genova** il **25 Luglio 2014**. Questo Certificato è valido fino al **25 Luglio 2019**


RINA Services S.p.A.
Francesco Sciacca

Questo Certificato e' composto di 1 pagina e di 1 allegato





CERTIFICATO DI OMOLOGAZIONE DI TIPO

N. ELE143014CS

Allegato - Pagina 1/1

NO7G9-K

Materiali/Componenti

Cavi elettrici unipolari, per cablaggi interni di quadri, non propaganti l'incendio, senza alogeni, per impiego a bordo di navi e unita' offshore.

Tensione nominale: 450/750 V

Tipo: N07G9-K

Marcatura: LOMBARDA NoSmoke ECOGAMMA N07G9-K sez. mm2 CEI 20-22 II - CEI 20-38 - IEMMEQU -
anno fabbricazione - Made in Italy

Temperatura massima di esercizio: 90°C

Costruzione:

conduttore: rame non stagnato (CEI EN 60228 classe 5)

isolante: mescola elastometrica qualita' G9

Rispondenti alle norme CEI 20-38; CEI 20-11; CEI 20-29; CEI 20-22 II; CEI 20-35/1-1; CEI 20-37/2-1; CEI 20-37/3-0; CEI 20-37/3-1; CEI 20-37/4-0.

Specifica Tecnica: ICEL N. 01/2014 Rev.0 datata 13/05/2014.

Genova 25 Luglio 2014




TYPE APPROVAL CERTIFICATE
No. ELE143014CS

This is to certify that the product below is found to be in compliance with the applicable requirement of the RINA type approval system.

<i>Description</i>	ELECTRIC CABLES
<i>Type</i>	N07G9-K
<i>Applicant</i>	I.C.E.L. S.C.P.A. Via Torricelli 4/6 48022 Lugo (RA) ITALY
<i>Manufacturer</i>	I.C.E.L. S.C.P.A.
<i>Place of manufacture</i>	Corso America 31/A 24040 Zingonia (BG) ITALY
<i>Reference standards</i>	CEI

Issued in **Genoa** on **July 25, 2014**. This Certificate is valid until **July 25, 2019**


RINA Services S.p.A.
Francesco Sciacca

This certificate consists of this page and 1 enclosure





TYPE APPROVAL CERTIFICATE

No. ELE143014CS

Enclosure - Page 1 of 1

N07G9-K

Materials/Components

Single core electrical cables, for internal switchboard cabling, flame retardant type, halogen free, for shipboard and offshore units.

Rated voltage: 450/750 V

Type: N07G9-K

Marking: LOMBARDA noSmoke ECOGAMMA N07G9-K sez. mm2 CEI 20-22 II - CEI 20-38 - IEMMEQU -
anno fabbricazione - Made in Italy.

Maximum conductor temperature: 90°C

Construction:

conductor: plain annealed stranded copper (CEI EN 60228 cl.5)

insulation: elastomeric compound type G9

In accordance to Standards CEI 20-38; CEI 20-11; CEI 20-29; CEI 20-22 II; CEI 20-35/1-1; CEI 20-37/2-1; CEI 20-37/3-0; CEI 20-37/3-1; CEI 20-37/4-0; IEC 60332-2-1.

Technical Specification: ICEL Data Sheet N. 01/2014 Rev 0 dated 13/05/2014.


Genoa July 25, 2014